EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	15	717/???.ccls. and (ide or (develop$4 near3 environment) or console or edit$3) and ("cut and paste" or "cut-and-paste" or "cut-n-paste" or (cut$4 near3 past$3) or (copy$3 near3 past$3) or "copy-and-paste" or "copy-n-paste" or "cut/copy/paste" or "cut-copy-paste" or "cut'n paste") and (inlin$3 or expansion) and (branch$3 or jump$3 or redirection or address$4 or relocat$4) and ("size of" or threshold or "number of" or count or measure$4 or "greater" or larger or exceed$3 or "less than" or smaller) same (condition$4 or boolean or predicat$3 or guard$3 or (if near8 then))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/07 11:39
L4	77	inlin$3 same ("size of" or threshold or "number of" or count or measure$4 or "greater" or larger or exceed$3 or "less than" or smaller) same (condition$4 or boolean or predicat$3 or guard$3 or (if near8 then)) near5 inlin$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/07 11:42
L5	3	inlin$3 same ("size of" or threshold or "number of" or count or measure$4 or "greater" or larger or exceed$3 or "less than" or smaller) same (condition$4 or boolean or predicat$3 or guard$3 or (if near8 then)) near5 (expansion or restructur$3 or expand$3 or ((generat$3 or creat$3) near3 (method or procedure or function or routine)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/07 11:51
L7	92	(code near3 edit$3) and (code or block) near3 ("size of" or threshold or "number of" or count or measure$4 or "greater" or larger or exceed$3 or "less than" or smaller) same (condition$4 or boolean or predicat$3 or guard$3 or (if near8 then)) and (arrang$4 or expansion or restructur$3 or expand$3 or ((generat$3 or creat$3) near5 (method or procedure or function or routine)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/07 11:55

L8	92	I7 not I4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/07 11:56
L9	170	(code near3 edit$3) and (code or block or section or segment or sequence) near5 ("size of" or threshold or "number of" or count or measure$4 or "greater" or larger or exceed$3 or "less than" or smaller) same (condition$4 or boolean or predicat$3 or guard$3 or (if near8 then)) and (inlin$3 or rearrang$4 or arrang$4 or expansion or restructur$3 or expand$3 or ((generat$3 or creat$3) near5 (macro or method or procedure or function or routine)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/07 12:03
L10	78	I9 not I7 not I4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/07 12:13
L11	77	(code near3 edit$3) and (code or block or section or segment or sequence or fragment) and ("size of" or threshold or "number of" or count or measure$4 or "greater" or larger or exceed$3 or "less than" or smaller) near5 (test$3 or evaluat$3 or condition$4 or boolean or predicat$3 or guard$3 or (if near8 then)) and (inlin$3 or rearrang$4 or arrang$4 or expansion or restructur$3 or expand$3) and ((generat$3 or creat$3) near5 (macro or method or procedure or function or routine)) and 717/???. ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/07 12:36

L12	359	(code or block or section or segment or sequence or fragment) and ("size of" or threshold or "number of" or count or measure$4 or "greater" or larger or exceed$3 or "less than" or smaller) near5 (test$3 or evaluat$3 or condition$4 or boolean or predicat$3 or guard$3 or (if near8 then)) and (inlin$3 or rearrang$4 or arrang$4 or expansion or restructur$3 or expand$3) and ((generat$3 or creat$3) near5 (macro or method or procedure or function or routine)) and 717/???.ccls. and (edit$3 or "cut and paste" or "cut-and-paste" or "cut-n-paste" or (cut$4 near3 past$3) or (copy$3 near3 past$3) or "copy-and-paste" or "copy-n-paste" or "cut/copy/paste" or "cut-copy-paste" or "cut'n paste")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/07 12:38
L13	359	l11 or l12	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/07 12:41
L14	341	l13 not l9 not l7 not l4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/07 12:41
L15	24	("5740443").URPN.	USPAT	OR	OFF	2008/02/07 14:16
L16	1	"6149318".pn.	USPAT	OR	OFF	2008/02/07 15:10
L17	1	"7266813".pn.	USPAT	OR	OFF	2008/02/07 15:17
L18	3	"20020032804"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/07 15:33
S1	263	717/159.ccls.	USPAT	OR	OFF	2007/08/27 07:22
S2	552	719/310.ccls.	USPAT	OR	OFF	2007/08/27 07:22

S3	25	717/159.ccls. and (edit$3 or (cut near3 paste) or (copy near3 paste) or cut$4 or copy$3 or slic$3 or eliminat$3 or remov$3) same (within or between or file or package or class) and (block or portion or code or software or binar$3 or executable) and (console or ui or gui or "user interface") and (call$3 or invoke or invocation or instantiat$3 or referenc$3 or jump$3 or branch$3 or trampolin$3 or overwrit$3 or writ$3) and (optimiz$5 or optimis$5 or optimal$2 or streamlin$3 or repackag$3 or restructur$3 or rearrang$4 or recod$3)	USPAT	OR	ON	2007/08/27 07:31
S6	27	717/159.ccls. and (edit$3 or (cut near3 paste) or (copy near3 paste) or cut$4 or copy$3 or slic$3 or eliminat$3 or remov$3) same (within or between or file or package or class) and (block or portion or code or software or binar$3 or executable) and (console or ui or gui or "user interface") and (call$3 or invoke or invocation or instantiat$3 or referenc$3 or jump$3 or branch$3 or trampolin$3 or overwrit$3 or writ$3) and (optimiz$5 or optimis$5 or optimal$2 or streamlin$3 or repackag$3 or restructur$3 or rearrang$4 or recod$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/27 07:33
S7	105	719/310.ccls. and (edit$3 or (cut near3 paste) or (copy near3 paste) or cut$4 or copy$3 or slic$3 or eliminat$3 or remov$3) same (within or between or file or package or class) and (block or portion or code or software or binar$3 or executable) and (console or ui or gui or "user interface") and (call$3 or invoke or invocation or instantiat$3 or referenc$3 or jump$3 or branch$3 or trampolin$3 or overwrit$3 or writ$3) and (optimiz$5 or optimis$5 or optimal$2 or streamlin$3 or repackag$3 or restructur$3 or rearrang$4 or recod$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/27 07:33

EAST Search History

S8	15	717/159.ccls. and (edit$3 or (cut near3 paste) or (copy near3 paste) or cut$4 or copy$3 or slic$3 or eliminat$3 or remov$3) same (within or between or file or package or class) and (block or portion or code or software or binar$3 or executable) and (console or ui or gui or "user interface") and (call$3 or invoke or invocation or instantiat$3 or referenc$3 or jump$3 or branch$3 or trampolin$3 or overwrit$3 or writ$3) and (optimiz$5 or optimis$5 or optimal$2 or streamlin$3 or repackag$3 or restructur$3 or rearrang$4 or recod$3) and (library or libraries or dll)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/27 07:33
S9	59	719/310.ccls. and (edit$3 or (cut near3 paste) or (copy near3 paste) or cut$4 or copy$3 or slic$3 or eliminat$3 or remov$3) same (within or between or file or package or class) and (block or portion or code or software or binar$3 or executable) and (console or ui or gui or "user interface") and (call$3 or invoke or invocation or instantiat$3 or referenc$3 or jump$3 or branch$3 or trampolin$3 or overwrit$3 or writ$3) and (optimiz$5 or optimis$5 or optimal$2 or streamlin$3 or repackag$3 or restructur$3 or rearrang$4 or recod$3) and (library or libraries or dll)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/27 07:34
S10	74	S8 S9	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/27 11:36
S11	2	"6179491".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/27 11:37

S12	1399	(software or code) same (cut$4 near3 (insert$4 or paste or pasting))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/27 14:25
S13	1858	(software or code) same (copy$3 near3 (insert$4 or paste or pasting))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/27 11:38
S14	367	S12 and S13	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/27 11:39
S15	28	S12 and S13 and (block near3 code)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/27 11:39
S16	154	S12 and S13 and ("size of" or "more than" or "greater than" or "number of" or footprint or threshold or maximum or max)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/27 11:40
S17	18	S15 and S16	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/27 11:57
S18	2	"7110936".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/27 11:57

S19	9	(software or code) same (cut$4 near3 (insert$4 or paste or pasting)) and (helper near3 class)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/27 15:40
S20	3	"20020032804"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/27 15:41
S21	2	"20020032804" and (class or default)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/27 15:43
S22	0	"20020032804" and (class or default) and private	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/27 15:42
S23	0	"20020032804" and (class or default) and public	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/27 15:42
S24	1208	creat$3 same (private same class)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/27 15:44
S25	11	creat$3 same (private same class) and (software or code) same (cut$4 near3 (insert$4 or paste or pasting))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/27 15:49

S26	1	creat$3 same (access near5 modifiers) and (class or object) and (software or code) same (cut$4 near3 (insert$4 or paste or pasting))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/27 15:50
S27	1612	(ide or (develop$4 near3 environment) or console or edit$3) and ("cut and paste" or "cut-and-paste" or "cut-n-paste" or (cut$4 near3 past$3) or (copy$3 near3 past$3) or "copy-and-paste" or "copy-n-paste" or "cut/copy/paste" or "cut-copy-paste" or "cut'n paste") and (inlin$3 or expansion) and (branch$3 or jump$3 or redirection or address$4 or relocat$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/07 09:18
S28	1507	(ide or (develop$4 near3 environment) or console or edit$3) and ("cut and paste" or "cut-and-paste" or "cut-n-paste" or (cut$4 near3 past$3) or (copy$3 near3 past$3) or "copy-and-paste" or "copy-n-paste" or "cut/copy/paste" or "cut-copy-paste" or "cut'n paste") and (inlin$3 or expansion) and (branch$3 or jump$3 or redirection or address$4 or relocat$4) and ("size of" or threshold or "number of" or count or measure$4 or "greater" or larger or exceed$3 or "less than" or smaller)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/07 09:22
S29	67	717/???.ccls. and (ide or (develop$4 near3 environment) or console or edit$3) and ("cut and paste" or "cut-and-paste" or "cut-n-paste" or (cut$4 near3 past$3) or (copy$3 near3 past$3) or "copy-and-paste" or "copy-n-paste" or "cut/copy/paste" or "cut-copy-paste" or "cut'n paste") and (inlin$3 or expansion) and (branch$3 or jump$3 or redirection or address$4 or relocat$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/07 09:22

EAST Search History

S30	58	717/???.ccls. and (ide or (develop$4 near3 environment) or console or edit$3) and ("cut and paste" or "cut-and-paste" or "cut-n-paste" or (cut$4 near3 past$3) or (copy$3 near3 past$3) or "copy-and-paste" or "copy-n-paste" or "cut/copy/paste" or "cut-copy-paste" or "cut'n paste") and (inlin$3 or expansion) and (branch$3 or jump$3 or redirection or address$4 or relocat$4) and ("size of" or threshold or "number of" or count or measure$4 or "greater" or larger or exceed$3 or "less than" or smaller)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/07 09:23